



author:"P cheng" hash

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 8 of 8 for author:"P cheng" hash. (0.01 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [Garbage Collection for Embedded Systems](#)DF Bacon, P Cheng, D Grove - [Web Search](#)

... run-time environments use 3-word object headers: one word for the class pointer, one word containing a thin lock [4], and one word containing a **hash** code and ...
 Proceedings of the fourth ACM international conference on ..., 2004 - [portal.acm.org](#) - [portal.acm.org](#)

[PDF] [Detection and analysis of paraquat in confiscated marijuana samples.](#)CE Turner, PC Cheng, LM Torres, MA Elsohly - [Web Search](#)

... described. Twenty of these samples (12.5 per cent) tested positive for paraquat. Nine confiscated **hash** oil samples tested negative. The ...
 Bull Narc, 1978 - [ncbi.nlm.nih.gov](#)

[PS] [A Security Architecture for the Internet Protocol](#)PC Cheng, JA Garay, A Herzberg, H Krawczyk - [View as HTML](#) - [Cited by 13](#) - [Web Search](#)

... k . Examples include block ciphers (eg. DES, in CBC-MAC mode [Ass86]), and key-ed cryptographic **hash** functions (eg. keyed-. MD5 [Tsu92], HMAC [BCK96],etc.). ...
 IBM System Journal, 1998 - [cm.bell-labs.com](#) - [cm.bell-labs.com](#) - [portal.acm.org](#) - [all 4 versions »](#)

[PDF] [Myths and realities: The performance impact of garbage collection](#)SM Blackburn, P Cheng, KS McKinley - [Cited by 4](#) - [Web Search](#)

... word (8 byte) header for each object, which con- tains a pointer to the TIB (type information block located in the immortal space, see below), **hash** bits, lock ...
 Submitted for Publication to SIGMETRICS, 2004 - [portal.acm.org](#) - [cs.anu.edu.au](#) - [cs.anu.edu.au](#) - [cs.utexas.edu](#) - [all 6 versions »](#)

[PDF] [A Garbage Collection Design and Bakeoff in JMTk: An Efficient Extensible Java Memory Management ...](#)SM Blackburn, P Cheng, KS McKinley - [View as HTML](#) - [Cited by 1](#) - [Web Search](#)

... have a two word (8 byte) header for each object which con- tains a pointer to the TIB (type information block located in the immortal space), **hash** bits, lock ...
 Technical Report TR-CS-03-02, Australian National University ... - [cs.anu.edu.au](#) - [eprints.anu.edu.au](#) - [cs.anu.edu.au](#)

[PDF] [An IPSec-based Host Architecture for Secure Internet Multicast](#)R Canetti, PC Cheng, F Giraud, D Pendarakis, JR ... - [View as HTML](#) - [Cited by 4](#) - [Web Search](#)

Page 1. An IPSec-based Host Architecture for Secure Internet Multicast.
 Ran Canetti, Pau-Chen Cheng, Frederique Giraud, Dimitrios ...
 Proceedings of NDSS, 2000 - [philby.ucsd.edu](#) - [piglet.uccs.edu](#) - [isoc.org](#) - [debanjan.sahafamily.com](#) - [all 10 versions »](#)

[PS] [on the client computer](#)PL Cheng - [View as HTML](#) - [Web Search](#)

Page 1. SCHEDULING AND SECURITY FOR THE. HYPERTEXT TRANSFER PROTOCOL. by.
 Pericles Leng Cheng. Supervisor: Professor Mohamed G. Gouda. ...
[cs.utexas.edu](#) - [cs.utexas.edu](#)

[PS] [UNIVERSITY OF CALIFORNIA, SAN DIEGO](#)JP Lillis, PCK Cheng, PTC Hu, PR Impagliazzo, PWH ... - [View as HTML](#) - [Web Search](#)

Page 1. UNIVERSITY OF CALIFORNIA, SAN DIEGO. Algorithms for Performance Driven Design. of Integrated Circuits. A dissertation submitted ...
[cae.wisc.edu](#)

author:"P cheng" hash

Search

[Google Home](#) - [About Google](#)

©2005 Google



author:"nelson OR N OR NL chow"

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

Tip: Try removing quotes from your search to get more results.

Your search - **author:"nelson OR N OR NL chow"** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try your query on the entire web.

[Google Home](#) - [About Google](#)

©2005 Google



author:"F chien" hash

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

Tip: Try removing quotes from your search to get more results.

Your search - **author:"F chien" hash** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try your query on the entire web.

[Google Home](#) - [About Google](#)

©2005 Google



author:"p cheng" hash

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 8 of 8 for author:"p cheng" hash. (0.06 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [Garbage Collection for Embedded Systems](#)DF Bacon, P Cheng, D Grove - [Web Search](#)

... run-time environments use 3-word object headers: one word for the class pointer, one word containing a thin lock [4], and one word containing a hash code and ...

Proceedings of the fourth ACM international conference on ..., 2004 - [portal.acm.org](#) - [portal.acm.org](#)

[Detection and analysis of paraquat in confiscated marijuana samples.CE Turner, PC Cheng, LM Torres, MA Elsohly - [Web Search](#)

... described. Twenty of these samples (12.5 per cent) tested positive for paraquat.

Nine confiscated hash oil samples tested negative. The ...

Bull Narc, 1978 - [ncbi.nlm.nih.gov](#)

[PS] [A Security Architecture for the Internet Protocol](#)PC Cheng, JA Garay, A Herzberg, H Krawczyk - [View as HTML](#) - [Cited by 13](#) - [Web Search](#)

... k . Examples include block ciphers (eg. DES, in CBC-MAC mode [Ass86]), and key-ed cryptographic hash functions (eg, keyed-. MD5 [Tsu92], HMAC [BCK96],etc.) ...

IBM System Journal, 1998 - [cm.bell-labs.com](#) - [cm.bell-labs.com](#) - [portal.acm.org](#) - [all 4 versions](#) »

[PDF] [Myths and realities: The performance impact of garbage collection](#)SM Blackburn, P Cheng, KS McKinley - [Cited by 4](#) - [Web Search](#)

... word (8 byte) header for each object, which contains a pointer to the TIB (type information block located in the immortal space, see below), hash bits, lock ...

Submitted for Publication to SIGMETRICS, 2004 - [portal.acm.org](#) - [cs.anu.edu.au](#) - [cs.anu.edu.au](#) - [cs.utexas.edu](#) - [all 6 versions](#) »

[PDF] [A Garbage Collection Design and Bakeoff in JMTk: An Efficient Extensible Java Memory Management ...](#)SM Blackburn, P Cheng, KS McKinley - [View as HTML](#) - [Cited by 1](#) - [Web Search](#)

... have a two word (8 byte) header for each object which contains a pointer to the

TIB (type information block located in the immortal space), hash bits, lock ...

Technical Report TR-CS-03-02, Australian National University ... - [cs.anu.edu.au](#) - [eprints.anu.edu.au](#) - [cs.anu.edu.au](#)

[PDF] [An IPSec-based Host Architecture for Secure Internet Multicast](#)R Canetti, PC Cheng, F Giraud, D Pendarakis, JR ... - [View as HTML](#) - [Cited by 4](#) - [Web Search](#)

Page 1. An IPSec-based Host Architecture for Secure Internet Multicast.

Ran Canetti, Pau-Chen Cheng, Frederique Giraud, Dimitrios ...

Proceedings of NDSS, 2000 - [philby.ucsd.edu](#) - [piglet.uccs.edu](#) - [isoc.org](#) - [debanjan.sahafamily.com](#) - [all 10 versions](#) »

[PS] [on the client computer](#)PL Cheng - [View as HTML](#) - [Web Search](#)

Page 1. SCHEDULING AND SECURITY FOR THE. HYPERTEXT TRANSFER PROTOCOL. by.

Pericles Leng Cheng. Supervisor: Professor Mohamed G. Gouda. ...

[cs.utexas.edu](#) - [cs.utexas.edu](#)

[PS] [UNIVERSITY OF CALIFORNIA, SAN DIEGO](#)JP Lillis, PCK Cheng, PTC Hu, PR Impagliazzo, PWH ... - [View as HTML](#) - [Web Search](#)

Page 1. UNIVERSITY OF CALIFORNIA, SAN DIEGO. Algorithms for Performance Driven

Design. of Integrated Circuits. A dissertation submitted ...

[cae.wisc.edu](#)

author:"p cheng" hash

Search

[Google Home](#) - [About Google](#)

©2005 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [hash](#) [collision](#) [detection](#) [content addressable](#)
[memory database](#)

Found 3 of 150,138

 Sort results by
☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

 Display results
☒ [Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ [Open results in a new window](#)

Results 1 - 3 of 3

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Forwarding: Longest prefix matching using bloom filters](#)

Sarang Dharmapurikar, Praveen Krishnamurthy, David E. Taylor

 August 2003 **Proceedings of the 2003 conference on Applications, technologies, architectures, and protocols for computer communications**

 Full text available: [pdf\(207.32 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We introduce the first algorithm that we are aware of to employ Bloom filters for Longest Prefix Matching (LPM). The algorithm performs parallel queries on Bloom filters, an efficient data structure for membership queries, in order to determine address prefix membership in sets of prefixes sorted by prefix length. We show that use of this algorithm for Internet Protocol (IP) routing lookups results in a search engine providing better performance and scalability than TCAM-based approaches. The ke ...

Keywords: IP lookup, forwarding, longest prefix matching

2 [Associative mass storage for database](#)

G. Wolf

 March 1980 **Proceedings of the fifth workshop on Computer architecture for non-numeric processing**

 Full text available: [pdf\(995.93 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Two types of associative mass storage for use in database systems, have been introduced in this paper, they are I Hybrid associative storage For use as an associative primary storage, it comprise a storing "basement" and an associative surface matrix. The suggested configuration has a capacity of up to 64 megabytes and a search rate of the order of 2 to 8 gigabytes per second. As well as associative operation, it is also suitable for extremely f ...

3 [A fully associative software-managed cache design](#)

Erik G. Hallnor, Steven K. Reinhardt

 May 2000 **ACM SIGARCH Computer Architecture News , Proceedings of the 27th annual international symposium on Computer architecture**, Volume 28 Issue 2

 Full text available: [pdf\(117.18 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As DRAM access latencies approach a thousand instruction-execution times and on-chip caches grow to multiple megabytes, it is not clear that conventional cache structures continue to be appropriate. Two key features—full associativity and software management—have been used successfully in the virtual-memory domain to cope with disk access latencies. Future systems will need to employ similar techniques to deal with DRAM latencies. This paper presents a practical, fully associati ...

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **hash collision detection content addressable memory**

Found 8 of 150,138

Sort results by

Save results to a Binder

Try an [Advanced Search](#)Display results
[Search Tips](#)
Try this search in [The ACM Guide](#)☐ Open results in a new window

Results 1 - 8 of 8

Relevance scale ☐ ☐ ☐ ☐ ☐**1 Lightweight network support for scalable end-to-end services**

Kenneth L. Calvert, James Griffioen, Su Wen

 August 2002 **ACM SIGCOMM Computer Communication Review , Proceedings of the 2002 conference on Applications, technologies, architectures, and protocols for computer communications**, Volume 32 Issue 4

Full text available: pdf(331.84 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Some end-to-end network services benefit greatly from network support in terms of utility and scalability. However, when such support is provided through service-specific mechanisms, the proliferation of one-off solutions tend to decrease the robustness of the network over time. Programmable routers, on the other hand, offer generic support for a variety of end-to-end services, but face a different set of challenges with respect to performance, scalability, security, and robustness. Ideally, rou ...

Keywords: end-to-end services, ephemeral state, programmable network, router achitecture**2 Forwarding: Longest prefix matching using bloom filters**

Sarang Dharmapurikar, Praveen Krishnamurthy, David E. Taylor

 August 2003 **Proceedings of the 2003 conference on Applications, technologies, architectures, and protocols for computer communications**

Full text available: pdf(207.32 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We introduce the first algorithm that we are aware of to employ Bloom filters for Longest Prefix Matching (LPM). The algorithm performs parallel queries on Bloom filters, an efficient data structure for membership queries, in order to determine address prefix membership in sets of prefixes sorted by prefix length. We show that use of this algorithm for Internet Protocol (IP) routing lookups results in a search engine providing better performance and scalability than TCAM-based approaches. The ke ...

Keywords: IP lookup, forwarding, longest prefix matching**3 Tramp: An interpretive associative processor with deductive capabilities**

William L. Ash, Edgar H. Sibley

January 1968 **Proceedings of the 1968 23rd ACM national conference**

Full text available: pdf(1.04 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In recent years; it has become increasingly clear that there is need for a content-addressable computer memory. Larger and larger programs are being written which require a structured data base to operate with any efficiency. Many of these could well benefit by replacing tedious searches with a fast, efficient, "content-addressable" access of the data store. A good example is the "key-word" library search. If one asks for a list of the books written by J. von Neumann ...

4 Design innovations for embedded processors: A fast on-chip profiler memory

Roman Lysecky, Susan Cotterell, Frank Vahid

June 2002 **Proceedings of the 39th conference on Design automation**

Full text available: pdf(277.15 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Profiling an application executing on a microprocessor is part of the solution to numerous software and hardware optimization and design automation problems. Most current profiling techniques suffer from runtime overhead, inaccuracy, or slowness, and the traditional non-intrusive method of using a logic analyzer doesn't work for today's system-on-a-chip having embedded cores. We introduce a novel on-chip memory architecture that overcomes these limitations. The architecture, which we call ProMem ...

Keywords: adaptive architectures, binary tree, embedded CAD, embedded systems, low power, memory design, platform tuning, profiling, system-on-a-chip

5 Associative mass storage for database

G. Wolf

March 1980 **Proceedings of the fifth workshop on Computer architecture for non-numeric processing**

Full text available:  [pdf\(995.93 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Two types of associative mass storage for use in database systems, have been introduced in this paper, they are I Hybrid associative storage For use as an associative primary storage, it comprise a storing "basement" and an associative surface matrix. The suggested configuration has a capacity of up to 64 megabytes and a search rate of the order of 2 to 8 gigabytes per second. As well as associative operation, it is also suitable for extremely f ...

6 A fully associative software-managed cache design

Erik G. Hallnor, Steven K. Reinhardt

May 2000 **ACM SIGARCH Computer Architecture News , Proceedings of the 27th annual international symposium on Computer architecture**, Volume 28 Issue 2

Full text available:  [pdf\(117.18 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As DRAM access latencies approach a thousand instruction-execution times and on-chip caches grow to multiple megabytes, it is not clear that conventional cache structures continue to be appropriate. Two key features—full associativity and software management—have been used successfully in the virtual-memory domain to cope with disk access latencies. Future systems will need to employ similar techniques to deal with DRAM latencies. This paper presents a practical, fully associati ...

7 Design of a high-performance ATM firewall

Jun Xu, Mukesh Singhal

November 1998 **Proceedings of the 5th ACM conference on Computer and communications security**


Full text available:  [pdf\(1.27 MB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

8 Design of a high-performance ATM firewall

Jun Xu, Mukesh Singhal

August 1999 **ACM Transactions on Information and System Security (TISSEC)**, Volume 2 Issue 3

Full text available:  [pdf\(143.19 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A router-based packet-filtering firewall is an effective way of protecting an enterprise network from unauthorized access. However, it will not work efficiently in an ATM network because it requires the termination of end-to-end ATM connections at a packet-filtering router, which incurs huge overhead of SAR (Segmentation and Reassembly). Very few approaches to this problem have been proposed in the literature, and none is completely satisfactory. In this paper we present the hardware design ...

Keywords: TCP/IP, asynchronous transfer mode, firewall, packet filtering, switch architecture

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



hash collision detection content memory dai

- 2001

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 35 of 35 for hash collision detection content memory database. (0.23 seconds)

[PDF] Virtual Reality in Assembly Simulation—Collision Detection, Simulation Algorithms, and Interaction ...

G Zachmann - [View as HTML](#) - Cited by 14 - [Web Search](#)... Finally, a **collision detection** pipeline is developed comprising all the algorithms presented ... and **content** of the user interface, which is what authoring is ...Doktorarbeit, Technische Universität Darmstadt, Fachbereich ..., 2000 - [informatik.uni-bonn.de](#) - [elib.tu-darmstadt.de](#) - [informatik.uni-bonn.de](#) - [cg.cs.uni-bonn.de](#) - [all 5 versions](#) »

[PDF] IRIS Performer: A High Performance Multiprocessing Toolkit for Real-Time 3D Graphics

J Rohlf, J Helman - Cited by 249 - [Web Search](#)... definition of geometry, scene **content** and multiple ... constructs such as queues and multibuffered **memory**. ... for purposes such as picking and **collision detection**. ...Proceedings of SIGGRAPH, 1994 - [portal.acm.org](#) - [cs.virginia.edu](#) - [idt.mdh.se](#) - [cs.princeton.edu](#) - [all 6 versions](#) »

Stack and Queue Integrity on Hostile Platforms

P Devanbu, SG Stubblebine - Cited by 16 - [Web Search](#)... been strewn with various electronic tamper-**detection** devices ... protection for the entire RAM **content** using as ... We assume the probability of a **hash collision** can be ...Proceedings of IEEE Symposium on Security and Privacy, ..., 1998 - [doi.ieeecomputersociety.org](#) - [doi.ieeeecs.org](#) - [ieeexplore.ieee.org](#) - [seclab.cs.ucdavis.edu](#) - [all 10 versions](#) »

[PS] Proving Ownership of Digital Content

A Adelsbach, B Pfitzmann, AR Sadeghi - [View as HTML](#) - Cited by 14 - [Web Search](#)... Here H inputs her original work W, and RC inputs W and the **content** of a secret local **memory** mem RC. ... a typically modified **content** of its secret local **memory** mem. ...Proceedings of the Third International Workshop on ..., 1999 - [zurich.ibm.com](#) - [portal.acm.org](#) - [portal.acm.org](#)

The R*-tree: an efficient and robust access method for points and rectangles

N Beckmann, HP Kriegel, R Schneider, B Seeger - Cited by 1133 - [Web Search](#)... for image retrieval by **content**, The VLDB ... implementation over flash-**memory** storage systems ... Zachmann, Minimal hierarchical **collision detection**, Proceedings of the ...Proceedings of the 1990 ACM SIGMOD international conference ..., 1990 - [portal.acm.org](#) - [portal.acm.org](#)

[PDF] Access Control and Session Management in the HTTP Environment

K Gutzmann - Cited by 4 - [Web Search](#)... ful in the applications or **content**-tailoring envi ... 2. Session ticket secured with keyed **hash** message authorization ... they often look like simple **database** rows with ...IEEE Internet Computing, 2001 - [ieeexplore.ieee.org](#) - [islab.iecs.fcu.edu.tw](#) - [islab.iecs.fcu.edu.tw](#) - [portal.acm.org](#) - [all 6 versions](#) »

[PDF] File system support for delta compression

J MacDonald - [View as HTML](#) - Cited by 19 - [Web Search](#)... technique may be effective, automatic **detection** and handling ... fingerprint table, and a **hash collision** always clobbers ... matching fingerprint in the **hash** table and ...Department of Electrical Engineering and Computer Sciences, ..., 2000 - [xmailserver.org](#) - [scam.xcf.berkeley.edu](#) - [cs.berkeley.edu](#) - [xcf.berkeley.edu](#) - [all 5 versions](#) »

[PDF] CNN Algorithms for Video Authentication and Copyright Protection

M CSAPODI, J VANDEWALLE, B PRENEEL - [Web Search](#)... Code (MAC) or a Manipulation **Detection** Code (MDC). ... In [8] we argue that **collision** resistant **hash** functions ... key, and demonstrate that these **hash** functions can ...Journal of VLSI Signal Processing Systems, 1999 - [kluweronline.com](#) - [portal.acm.org](#)

[PDF] 1970-1994

V Cerf - [Web Search](#)

... ME Ulug, G. M. White, and WL Adams A Theoretical Performance Analysis of Polling

and Carrier Sense **Collision Detection** Communication Systems; E. Arthurs and B ... Research, 1974 - [portal.acm.org](#)

[PDF] How to Copyright a Function?

D Naccache, A Shamir, JP Stern - Cited by 7 - [Web Search](#)... $h(y) \bmod n$ is a **collision** in h ... exponents as this would blind the collusion-**detection** mechanism ... security parameter, the de- signer publishes a **hash** function h ...

Proceedings of the Second International Workshop on Practice ..., 1999 - [springerlink.com](#) - [gemplus.com](#) - [gemplus.fr](#) - [julienstern.org](#) - [all 8 versions](#) »

[PDF] The architecture of robust publishing systems

M Waldman, AD RUBIN, LF CRANOR - [Web Search](#)

... Tamper **detection** is usually accomplished by applying some cryp ... to the document and storing this **hash** in a ... **Content** that is accessible more than other con- tent ...

ACM Transactions on Internet Technology, 2001 - [portal.acm.org](#) - [portal.acm.org](#) - [webster.fhs-hagenberg.ac.at](#)

[PDF] Cryptographic copyright protection for digital images based on watermarking techniques

JO Ruanaidh, H Petersen, A Herrigel, S Pereira, T ... - [View as HTML](#) - [Cited by 6](#) - [Web Search](#)

... stego image SI and resulting payload Y. h 1 ; h 2 : **collision** resistant **hash** ... **hash** value of 160 bit eg SHA-1 or RIPEMD-160 ... 3 Embedding of **detection** watermark: H ...

Theoretical Computer Science, 1999 - [vision.unige.ch](#) - [cui.unige.ch](#) - [portal.acm.org](#) - [all 6 versions](#) »

[PDF] Internet Security Architecture

R Molva, E North-Holland, IN York - [View as HTML](#) - [Cited by 5](#) - [Web Search](#)

... the so called "birthday paradox" that estimates the **collision** probability for ...

II.C) that is based on the secure **hash** function H ... replay **detection** or message ...

Computer Networks, 1999 - [eurecom.fr](#) - [cs.plu.edu](#) - [portal.acm.org](#)

[PDF] Recursive hashing functions for n-grams

JD Cohen... - [Cited by 6](#) - [Web Search](#)

... abstracting [Damashek 1995; Cohen 1995], spelling error **detection** and correction ...

The literature of **hash** functions and **collision** resolution schemes is ...

ACM Transactions on Information Systems, 1997 - [portal.acm.org](#) - [portal.acm.org](#)

[PDF] A low-bandwidth network file system

A Muthitacharoen, B Chen, D Mazieres - [Cited by 76](#) - [Web Search](#)

... RPC li- braries hold messages in **memory** to unmarshal ... the recomputed SHA-1 value to detect **hash** collisions in ... a low but non-negligible probability of **collision**. ...

Proceedings of the 18th ACM Symposium on Operating Systems ..., 2001 - [portal.acm.org](#) - [cs.cornell.edu](#) - [amsterdam.lcs.mit.edu](#)

- [scs.cs.nyu.edu](#) - [all 38 versions](#) »

[PDF] Design considerations in instrumenting and monitoring Web-based information retrieval systems

MD Cooper... - [Cited by 5](#) - [Web Search](#)

... Despite the changing nature of the **content** of informa- ... inability to replicate results because **database** or system. ... tional disk space, main **memory**, and/or central ...

Journal of the American Society for Information Science, 1998 - [doi.wiley.com](#) - [beachmat.berkeley.edu](#) -

[beachmat.sims.berkeley.edu](#) - [portal.acm.org](#) - [all 6 versions](#) »

[PDF] The Virtual Environment Operating System: Derivation, Function, and Form

GP Coco - [View as HTML](#) - [Cited by 3](#) - [Web Search](#)

... 1 These resources include compute cycles, i/o ports, graphics capabilities, **memory**, hard-disk, etc. ... may rely on accurate **collision detection**. ...

Master's thesis, University of Washington, Seattle, 1993 - [hitl.washington.edu](#)

[PS] Gigabit IP Network Devices

A Neogi - [View as HTML](#) - [Cited by 1](#) - [Web Search](#)

... routers, classication involves a multiple key **hash** lookup to ... cache and has minimum number of **memory** accesses. ... IP router on the path, to perform loop **detection**. ...

Research Proficiency Examination Report: Section, 1999 - [ecsl.cs.sunysb.edu](#)

[PDF] From the journals....

M Ginsberg, DS Nau, SJJ Smith, K Sycara, JF Allen, ... - [Web Search](#)

... Hamilton Expert system hardware for fault **detection** MR Gomez ... Ahanger and TDC Little

Video **content** management in ... storage requirements of a perfect **hash** function P ...

The Knowledge Engineering Review, 1999 - [journals.cambridge.org](#)

[PDF] Efficient annotated terms

MGJ van den Brand, HA de Jong, P Klint, PA Olivier - [Cited by 108](#) - [Web Search](#)

... human-readable form depends on the actual blob **content**. ... pointer in each object for **hash** chaining, which in ... Other solutions for **collision** resolution will either ...

Software, Practice & Experience, 2000 - [doi.wiley.com](#) - [doc.telin.nl](#) - [doc.freeband.nl](#) - [adam.wins.uva.nl](#) - [all 16 versions](#) »

[PS] Study of caching in the Internet Domain Name System

E Sit - [View as HTML](#) - [Cited by 3](#) - [Web Search](#)

... No **detection** of server failure. ... of the MD5 **hash** are used, the probability of **collision** is increased, roughly from 1 in 2 128 to 1 in 2 32

Massachusetts Institute of Technology, May, 2000 - pdos.lcs.mit.edu

[PDF] Information Technology Measurement and Testing Activities at NIST

MD Hogan, LJ Carnahan, RJ Carpenter, DW Flater, JE ... - [View as HTML](#) - [Web Search](#)

... ROM Compact Disk- Read Only **Memory** CEC ERIM ... Carrier Sense Multiple Access with **Collision**

Detection DARPA Defense ... Automatic Computer SHS Secure **Hash** Standard SI ...

Journal of Research of the National Institute of Standards ..., 2001 - nvl.nist.gov - nvl-p.nist.gov - mel.nist.gov

[PS] A Massively Parallel Architecture for Associative-Based Artificial Intelligence

JD Roberts - [View as HTML](#) - [Web Search](#)

... 8.1 Relational **Database** Parallelization (after [FKS85]) : : : 184 8.2

Other Algorithms ... **Content**-addressable **memory** refers to a ...

University of California, Santa Cruz, 1995 - cse.ucsc.edu - cse.ucsc.edu

[PDF] A layered hyperanimation system

YC Hung... - [Web Search](#)

... as Figure 3 indicates, the animation **collision** occurs when ... The hyperlink event **detection**

module is the administrator that ... presented in this study is **hash** tables ...

Software - Practice and Experience, 2000 - doi.wiley.com - doi.wiley.com - portal.acm.org

[PS] A Natural Language Parser with Interleaved Spelling Correction Supporting Lexical Functional Grammar ...

MA Elmi - [View as HTML](#) - Cited by 8 - [Web Search](#)

... 174 9.2.1 Spelling Error **Detection**. ... Page. Table 6.6 **Collision**

Report for 1552 Words with **Hash** Size 1949.....138. ...

Illinois Institute of Technology, Chicago, IL, 1994 - cs.iit.edu - csam.iit.edu - portal.acm.org - portal.acm.org

[PDF] Cryptography and Evidence

M Roe - [View as HTML](#) - Cited by 18 - [Web Search](#)

... will be reducing m in length with a **collision**-free **hash** ... low-level" signature operation

on the padded **hash**, and then ... Bob to reveal to her the **content** of the ...

Doct. Dissert., Univ of Cambridge, UK, 1997 - isis.poly.edu - chiark.greenend.org.uk - cl.cam.ac.uk - opencik.org - [all 7 versions](#) »

[PS] Applications of Combinatorial Designs to Communications, Cryptography, and Networking

CJ Colbourn, JH Dinitz, DR Stinson - [View as HTML](#) - Cited by 14 - [Web Search](#)

... Other approaches have included frequency division, time division, **collision**

de- tection or some type of network synchronization. ...

London Math. Soc. Lecture Note Ser, 1999 - cacr.uwaterloo.ca - cacr.math.uwaterloo.ca - lottodesigner.150m.com -

cacr.math.uwaterloo.ca - [all 7 versions](#) »

[PS] Reliable Multicast for Publish/Subscribe Systems

Q Sun - [View as HTML](#) - [Web Search](#)

... Examples of **content**- ... In these situations, we first verify, using small **hash** ... gets the

message, and sending out heartbeats to facilitate loss message **detection**. ...

Massachusetts Institute of Technology, Dept. of Electrical ..., 2000 - mit.edu - mit.edu - lost-contact.mit.edu - graphics.csail.mit.edu

- [all 7 versions](#) »

[PDF] Algorithms for Routing Lookups and Packet Classification

P Gupta - [View as HTML](#) - Cited by 19 - [Web Search](#)

... PS (PE) indi- cates that this prefix-start (prefix-end) is also the **memory**-start

(**memory**-end) marker.. ... 120 Figure 4.8 The tuples and associated **hash** tables in ...

A dissertation submitted to the department of computer ..., 2000 - www-cs-students.stanford.edu - netlab.cs.tsinghua.edu.cn -

klamath.stanford.edu - cchen2.et.ntust.edu.tw - [all 7 versions](#) »

[PDF] Automated Synthesis and Optimization of Robot Configurations: An Evolutionary Approach

C Leger - [View as HTML](#) - Cited by 10 - [Web Search](#)

... a library of commonly required simulation capabilities such as ki- nematic and dynamic

simulation, actuator modeling, **collision** **detection**, and controllers for ...

Ph. D. Thesis, 1999 - darwin2k.com - frc.ri.cmu.edu - robotics.jpl.nasa.gov - neo.lcc.uma.es - [all 9 versions](#) »

Great Britain

J Home - [Cached](#) - [Web Search](#)

... CoCrPtB alloys with increased boron **content** and method ... imaging for enhancing optical

detection of edges ... Smith, Vehicle scheduling and **collision** avoidance system ...

IBM Journal of Research and Development, 2001 - research.ibm.com - research.ibm.com

[PDF] Efficient Algorithms for Sorting and Synchronization

A Tridgell - [View as HTML](#) - Cited by 42 - [Web Search](#)

... ing block signature information followed by a simple **hash** search algorithm

for block. ... costs and the **memory** requirements of the algorithm. ...

Doktorarbeit, Australian National University, 1999 - cri.ensmp.fr - samba.anu.edu.au - ccache.samba.org - comlab.ox.ac.uk - [all 9 versions »](#)

[PDF] A Secure Authentication Infrastructure for Mobile Communication Services over the Internet

ID la Tour, G Bochmann, JY Chouinard - [View as HTML](#) - [Web Search](#)

... to access anything in a second **database**, but be. ... Electronic solutions are based on

hash-algorithms, MAC ... **content** becomes disputable, nobody can deny that the ...

Communication and Multimedia Security Conference (CMS'2001 ... , 2001 - beethoven.site.uottawa.ca

[PS] The Exokernel Operating System Architecture

DR Engler, MF Kaashoek - [View as HTML](#) - [Cited by 15](#) - [Web Search](#)

... As a result, in an exokernel system, untrusted software (eg, library operating systems)

can implement abstractions such as virtual **memory**, file systems, and ...

Massachusetts Institute of Technology, Oct, 1998 - amsterdam.lcs.mit.edu - pdos.lcs.mit.edu - cs.ttu.edu - portal.acm.org - [all 5 versions »](#)

[PDF] A Bibliography of Papers in Lecture Notes in Computer Science (1997), Part 1 of 2

NHF Beebe - [View as HTML](#) - [Web Search](#)

... **Collision**-Free [851, 831]. **Collision**-Resistant [2178]. Collisions [1025]. ... Contacts

[1839]. Containment [1245, 1834, 2, 3]. **Content** [2134, 1051, 2376, 1061]. ...

Way, 1837 - math.utah.edu - math.utah.edu - math.utah.edu

hash collision detection content m

[Google Home](#) - [About Google](#)

©2005 Google